



DIGITAL SIGNAGE



Features



Supports HD WMV9, WMA formats



Supports CF memory cards. (Suggest using the high speed (150X) CF card)



Supports Network Function

- Embedded FTP Server.
- Connect using an Ethernet network cable at up to 100Mbps.
- Compatible with Windows Media Player 11 : Play media files stored in a network computer.
- Supports FTP Auto Download Function : Connect to Remote FTP server and download data to the CF card automatically.



Supports HTTP Command Control Function



Supports Auto Key Lock Function

HS Italia
Tel. 0536-830620
Fax. 0536-831215
www.hs-italia.it
info@hs-italia.it



Specification Features

- Supports RS-232 port for computer control with ASCII command (play, stop, pause...etc).
- The source of HD WMV9 MP@HL (Main Profile / High Level) supports resolution up to 1920x1080 (1080P) and the maximum bit rate is 12Mbps.
- Supports NTP Network (G.M.T) Timer.
- Supports Universal Plug and Play (UPnP) and DHCP

Output Interface

S-Video: supports Composite S-Video and Composite Y.Pb.Pr.

Audio

Video

Supports resolution:

Y.Pb.Pr. NTSC Mode(60Hz) : 480P/ 720P/ 1080i.

PAL Mode(50Hz) : 576P/ 720P/ 1080i.

HDMI 480P/ 720P/ 1080i/ 1080P.

VGA 640x480/ 800x600/ 1024x768/ 1280x1024/ 1360x768.

Introduction

The Eyezone B1080P-2 is a digital media player that plays movies, music, digital picture and WMV9 from CF memory card without a computer. The Eyezone B1080P-2 supports High Definition movie hardware decode acceleration, presents for you the smoother and clearer picture, it supports high resolution video output such as 1080P / 1080i / 720P for movie theater quality video on a big screen. By connecting to Video, S-Video, Y.Pb.Pr, VGA (resolution up to 1360 x 768), HDMI (1920 x 1080P) and Audio, you can play picture, movie and music on any display device.

What's more, the Eyezone B1080P-2 supports PIR Sensor connector. After sensing approaching subjects, the Eyezone B1080P-2 will play the files automatically.

The Eyezone B1080P-2 can connect to a wired network at speed up to 100Mbps. This function provides you with maximum throughput for sharing and transferring digital media.





Support Slide Show



Normal Resolution : 1920x1080 (16:9), with the slide show interval of 5 sec.
Max Resolution : 4368x2912 (16:9), with the slide show interval of 10 sec.



Supports ZOOM IN (ON) 4x & PAN, MIRROR, PREVIEW and REPEAT.



Exports the Configuration Value

You can export the configuration value to the CF card. The configuration value can be modified on your PC, and can be applied to the B1080P-2 or others.



Supports Download Pause / Resume Function : Continue unfinished downloads upon next session.

Optional Functions



Timer Function: The Eyezone B1080P-2 will power on / off automatically at the designated time.



Schedule Function: The Eyezone B1080P-2 will auto play the designated file at the designated time. There are two modes: "Basic Schedule" and "Advance Schedule".

Basic Schedule: You can select files that you want to play and set up the volume and the play times of each file.

Advance Schedule: You can select the files that you want to play, and also can set up the volume, the play times and the initial and end time of each file.



Optional Equipment

1. Play Button Box(Eyezone BB)

- The Play Button Box (Eyezone BB) supports up to 12 play-button inputs.
- Press one of the play buttons to play the corresponding file.

2. 5/8 Touch-Sensor Buttons

- Press one of the touch-sensor buttons, the B1080P-2 will play the corresponding file automatically.
- The number of touch-sensor buttons can be customized to 12, 24 or 36 for OEM project.
- Used with various operating environment (glass, plastics and acrylic material, except metal material), the thickness supports 3mm -5mm, and it can be customized to 5cm for OEM project.
- Supports Wired and Wireless.

3. PIR Sensor (Eyezone PIR)

- After sensing approaching subjects, the Eyezone B1080P-2 will play the files automatically.
- Sensing distance is up to 3 meters with an angle of 45°.

